

Notice of Allowability

Application No.

10/650,558

Examiner

Hieu Phan

Applicant(s)

SIMON ET AL.

Art Unit

3738

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Applicant's Argument filed on 06/28/2004.
2. ☒ The allowed claim(s) is/are 17-20.
3. ☒ The drawings filed on 28 August 2004 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|---|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____ |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____ | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____ |

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Gunther O. Hanke on 09/29/2004.

The application has been amended as follows:

In the Specification, on page 2, before This patent application -- This patent application is divisional of U.S. patent application 09/797,444 now U.S. Patent No. 6,626,945-- inserted therefor.

In the Specification, on page 2, after March 14, 200, --, now U.S. Patent No. 6,632,246-- inserted therefor.

In claim 17, line 3, after wherein in upper surface --bridges said anchoring elements and -- inserted therefor.

In claim 18, line 2, "protrusion" has been deleted and --protrusions-- inserted therefor.

In claim 18, line 2, after from there below, --each of-- inserted therefor.

In claim 18, line 2, "element" has been deleted and --elements-- inserted therefor.

In claim 18, line 3, after there for receiving --one of-- inserted therefor.

In claim 18, line 3, "protrusion" has been deleted and --protrusions-- inserted therefor.

In claim 18, line 3, after and --each of-- inserted therefor.

Art Unit: 3738

In claim 18, line 4, "protrusion" has been deleted and --protrusions-- inserted therefor.

In claim 19, line 1, after wherein --each of-- inserted therefor.

In claim 19, line 2, "are" has been deleted and --is-- inserted therefor.

In claim 20, line 1, after wherein --each of-- inserted therefor.

In claim 20, line 2, "element" has been deleted and --elements-- inserted therefor.

In claim 20, line 2, "has" has been deleted.

Conclusion



2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hieu Phan whose telephone number is 703-308-8969. The examiner can normally be reached on Monday-Friday from 8am-5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Corrine M McDermott can be reached on 703-308-2111. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3738

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Hieu Phan
Examiner
Art Unit 3738



CORRINE McDERMOTT
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3700